Multibiometrics COMP 388-002/488-002 Biometrics









Get to know Importance of Multibiometrics.

Today we will...





Today's attendance

Please fill out the form


https://forms.gle/xRQZYQZ2hZt3kPD27







Content



Basics Concepts **Metrics** Metric implementation







Core Traits (3) Concepts **Baseline implementation** Data collection Evaluation Attacks Assignments

Course Overview



Alternative Traits and Fusion Concepts




Invited Talks (2) State of the art Future work







Fusion (a.k.a. Multibiometrics)



Basics Concepts Metrics Metric implementation







Core Traits (3) Concepts **Baseline implementation** Data collection Evaluation Attacks Assignments

Course Overview



Alternative Traits and Fusion Concepts



Invited Talks (2) State of the art Future work







Pick a Trait

Universality (1/8) Does everybody have the trait?

Uniqueness (2/8)

How likely two or more individuals will present the same trait?

Permanence (3/8)

How easily does the trait change?

Measurability (4/8) How easy is it to acquire and digitize the trait?







Pick a Trait

Acceptability (5/8)

Will individuals collaborate during data collection?

Circumvention (6/8)

How hard can the trait be forged or imitated?

Explainability (7/8)

How easy is it for the everyman to understand the trait comparison?

Performance (8/8)

How good is the trait quantitatively according to objective metrics?







Pick a Trait

There is no silver bullet. No trait satisfies all concepts.







Solution

Rely on multiple traits. Allow various presentations. Combine results (data fusion).

Pros


More concepts can be satisfied. System is more robust to attacks. It becomes more expensive to attack the system.




Cons System becomes more expensive (more sensors, more software). More runtime. More complexity.


















Types of Multibiometric Systems

Multi-sensor Systems (1/5) Single trait, multiple sensors.

If one sensor fails, other sensors might overcome the failure.





Dr. Walter Scheirer




visible light

NIR


thermal















Types of Multibiometric Systems

Multi-algorithm Systems (2/5) Single trait, single sensor, multiple feature extractors and matching solutions.

Complementary solutions will lead to higher accuracy in the end.




Daugman's iris code from 2D Gabor filters




Binary code from BSIF filters.














Types of Multibiometric Systems

Multi-sample Systems (3/5) Single trait, single sensor,

multiple presentations.


More complete representation of the trait (account for variations).

Dr. Walter Scheirer
















Types of Multibiometric Systems

Multi-instance Systems (4/5) Single trait, single sensor, multiple instances (e.g., right and left irises, or each one of the 10 hand fingerprints, etc.).

No need for extra sensors or extra software. Successful presentations might overcome the failed ones


Dr. Walter Scheirer


















Types of Multibiometric Systems

Multi-modal Systems (5/5) Multiple traits (modalities).

Complementary solutions will lead to higher accuracy in the end.



How to combine solutions?


Perform data fusion!







Architectures

Parallel (1/2) Evidence acquired from multiple sources is processed simultaneously.












Architectures

Cascade (2/2)

Multiple sources are processed on demand (e.g., whenever a decision score is not confident enough).











Data Fusion Levels





Data Fusion Levels





Data Fusion Levels

Sensor Level Fusion

Multiple sources of raw data are consolidated before feature extraction.


Example

Different captures of the same fingerprint are combined to generate sample larger than sensor capacity.

1st capture



2nd capture







Data Fusion Levels

Sensor Level Fusion

Multiple sources of raw data are consolidated before feature extraction.

Example


Different captures of the same fingerprint are combined to generate sample larger than sensor capacity.


initial alignment


1st capture



2nd capture







final alignment





Data Fusion Levels

Sensor Level Fusion

Multiple sources of raw data are consolidated before feature extraction.

Example


Different captures of the same fingerprint are combined to generate sample larger than sensor capacity.


initial alignment


1st capture



2nd capture







final alignment






feature extraction

Jain and Ross Fingerprint Mosaicking ICASSP 2002






Data Fusion Levels





Data Fusion Levels






Data Fusion Levels

Feature Level Fusion

Multiple feature vectors from the same individual are combined into a single feature vector, prior to matching.



Example Strategies Linear combination, concatenation, etc.

Ross, Nandakumar, and Jain Handbook of Multibiometrics Springer Books, 2006





Data Fusion Levels

Feature Level Fusion Challenges

Multi-sensor Systems Multi-algorithm Systems Multi-sample Systems Multi-instance Systems Multi-modal Systems

- Different-nature feature vectors.
- Different-nature feature vectors.
- Same-nature feature vectors.
- Same-nature feature vectors.
- Different-nature feature vectors.





Data Fusion Levels

Feature Level Fusion Challenges

Multi-sensor Systems Multi-algorithm Systems Multi-sample Systems Multi-instance Systems Multi-modal Systems

- **Different-nature feature vectors.**
- **Different-nature feature vectors.**
- Same-nature feature vectors.
- Same-nature feature vectors.
- **Different-nature feature vectors.**





Data Fusion Levels

Feature Level Fusion Challenges


How to combine features of different nature? (e.g., different domains, different scales, different ranges of values, etc.).

Typical solutions: concatenation, normalization. Caution: too-large vectors will suffer from the curse of dimensionality.






Data Fusion Levels





Data Fusion Levels








Data Fusion Levels

Score Level Fusion

Scores (similarities or dissimilarities) from different matching algorithms are consolidated before final decision.

Strategies

Discriminative versus generative approaches.




Ross, Nandakumar, and Jain *Handbook of Multibiometrics* Springer Books, 2006



Data Fusion Levels

Score Level Fusion Discriminative Approaches

Thresholds, separation hyperplanes, decision trees, etc. are used to decide the Biometric system outcome (impostor versus genuine).



Example: Support Vector Machine (SVM)






Data Fusion Levels

Score Level Fusion Discriminative Approaches

Examples: AND and OR rules.



Dr. Walter Scheirer



Data Fusion Levels

Score Level Fusion Discriminative Approaches

Examples: Majority Voting. Face



Fingerprint





"Ursula"



Iris

"Ursula"

votes = 2Ursula

Decision

Dr. Walter Scheirer






Data Fusion Levels

Score Level Fusion Generative Approaches

Data distribution models of the joint probability of observations and scores are computed in *training* time and further used in operation time to return the probability of a presentation be either impostor or genuine.








Data Fusion Levels

Score Level Fusion Generative Approaches

Examples: Naïve Bayes, Gaussian Mixture Models (GMM), Extreme-Value Theory, etc.







Data Fusion Levels


Score Level Fusion Pros

Regardless of being either discriminative or generative, it can be used with commercial off-the-shelf matchers that do not expose their feature vectors but return confidence scores.













What's Next?

Feature Indexing.

Fill out your **Today-I-missed Statement** Please visit https://sakai.luc.edu/x/PnQvIG.

