Fingerprint Recognition I CSE 40537/60537 Biometrics





Today you will...

Get to know The history of the usage of fingerprints. Useful fingerprint features.



Content



Basics Concepts **Metrics** Metric implementation







Core Traits (3) Concepts **Baseline implementation** Data collection Evaluation Attacks Assignments

Course Overview



Alternative Traits and Fusion Concepts



Invited Talks (2) State of the art Future work





Content



Basics Concepts Metrics Metric implementation







Core Traits (3) Concepts **Baseline implementation** Data collection Evaluation Attacks Assignments

Course Overview



Alternative Traits and Fusion Concepts



Invited Talks (2) State of the art Future work





Nehemiah Grew (UK, 1684) Pioneering scientist.

Described the existence of ridges, valleys, and sweat pores.







History



Skin Types

smooth skin



Jain, Ross, and Nadakumar Introduction to Biometrics Springer Books, 2011

friction ridge



Marcello Malpighi (University of Bologna, Italy, 1686) Pioneering classification of fingerprints.

Noticed that there were similar patterns across fingerprints, which could be used to group samples.





Sir William Herschel (UK, 1858) Pioneering usage of fingerprints for identification.

Noticed the uniqueness and permanence of fingerprints. Used fingerprints within contracts while working as an officer in the Indian Civil Service.







Henry Faulds (UK, 1880)

Pioneering usage of fingerprints in a forensic scenario.

Collected a latent fingerprint from a bottle and identified the author of a theft in a hospital in Tokyo.





Henry Faulds (UK, 1880) Pioneering usage of fingerprints in a forensic scenario.

Performed the first experiments showing the uniqueness of fingerprints.





Sir Francis Galton (UK, 1888) Pioneering method of feature extraction.

Definition of singular points and minutiae, a.k.a. Galton's details (more details soon).







History

Sir Francis Galton (UK, 1888) Pioneering method of feature extraction.

Publication of book "Finger Prints", containing fundamental contributions to Biometrics. Estimate of 2 people presenting the same fingerprint: 1 in 64 billion.

Book available at: http://galton.org/books/finger-prints/galton-1892fingerprints-1up.pdf

Galton, F. Finger Prints MacMillan and Co., New York, 1892









Sir Francis Galton (UK, 1888) Pioneer method of feature extraction.

New York Times book review (Jan 1893)

What Mr. Galton wants to show is that through the prints made by the finger tips we have an absolute method of identification. As to that stupid thing, palmistry, our authority says it has no more significance than the creases on old clothes.

History

MR. GALTON ON FINGER PRINTS.

FINGER PRINTS. By Francis Galton, F. B. S. New York: Macmillan & Co.

Mr. Galton devotes his life to the elucidation of the queer and the curious. Undoubtedly there is nothing a man masters which is not of some benefit to his fellows, though conturies may elapse before the application comes. In his present volume Mr. Galton gives the results of a number of years of research, devoted to those tiny ridges of skin which appear in the ends of the fingers. They are the so-called "papillary" ridges. Carried away by his enthusiasm. Mr. Galton declares that these markings "are in some respects the most important of all anthropological data." He makes, too, the statement that they "have the unique merit of retaining all their peculiarities unchanged throughout life, and afford in consequence an incomparably surer criterion of identity than any other bodily feature."

The presence of these minute ridges on the finger tips became the subject of physiological study long ago. Strangely enough, they are perfectly defined in monkeys, but appear "in a much less advanced stage in other mammalia." We know that the finger tips are studded with pores. There are an infinite number of mouths always open which lead to ducts that secrete perspiration. The ridges must assist touch, as they "help in the discrimination of the character of surfaces that are variously rubbed as held between the fingers. These ridges are visible in the child unborn; they increase with the growth of the individual, and are sharply defined until old age sets in. Moderate work develops them, and they are visible on the toes. They are faintly developed in the hands of ladies." The ensuing statement used by Mr. Galton is not fortunate, for he adds that "they are not visible on the fingers of idiots of the lowest type, who are incapable of laboring at all " at all."

What Mr. Galton wants to show is that through the prints made by the finger tips we have an absolute method of identification. As to that stupid thing, palmistry, our authority says it has no more signifi-cance than have the creases on old clothes. The ridges Mr. Galton divides into three categories of arches, loops, and whorls, and his book abounds in curious pictures or fuger prints magnified by means of the or finger prints, magnified by means of the camera. It seems to us to be torribly complex. As no two persons' finger tips are considered to be alike, and as there is individualism in the fingers of the right and left hand, and there are ten tingers in all, there would have to be ten distinct examinations before an identification could be positive.

When one comes to the real practical use of the finger-mark method it seems to have none. If there be any reliance to be put in it as a means of identification it would require an expert having uncommon powers of observation. When we are told that there are " about thirty-five points [of resemblance] situated on the bulb of each of the ten digits, in addition to more than 100 on the ball of the thumb," it may be seen how troublesome the matter is likely to be. Then, as one has to work up over a thousand points on his own hands, or on somebody points on his own hands, or on somebody else's hands, hours, days, and weeks might elapse before anything like a conclusion could be reached. Scientifically, when further treated, the subject may be of minor interest; practically, it has none at all. The book, of course, shows that dili-gence and hard work which are common to course thing Mr. Galton does but really to everything Mr. Galton does, but, really, " the play is not worth the candle."

> The New Hork Times Published: January 1, 1893 Copyright @ The New York Times



Juan Vucetich (Argentina, 1892) Pioneering criminal conviction based on fingerprints.

Rojas case

Woman accused of murder based on bloody fingerprint left at crime scene.







Sir Edward Henry (UK, 1897) Pioneering fingerprint classification and indexing method.

Work at Calcutta, India Speeded up the process of searching for fingerprints.

History



Henry's fingerprint classification.



Edmond Locard (France, 1910) Pioneering methodology to be adopted in court.

A defendant should be pronounced guilty if at least 12 features match in the sample and reference material.





XX-Century Acceptance

Scotland Yard, 1903 Fingerprints start to be officially used.

International Association for Identification, 1915 Creation of the largest forensic association in the world.

FBI, 1924 Fingerprint Identification Division is established.







What do we observe in fingerprints?

Ridges and Valleys Embryology hypothesis: Ridges appear as a result of the stresses in the womb during the growth of the fetus.



Source: Dr. Adam Czajka



What do we observe in fingerprints?

Beyond Ridges and Valleys Three types of features, from coarse to fine levels:

- Level-1 Features
- Level-2 Features
- Level-3 Features





What do we observe in fingerprints?

Beyond Ridges and Valleys Three types of features, from coarse to fine levels:

- Level-1 Features
- Level-2 Features
- Level-3 Features





Level-1 Features

Observe singular points and core. Useful capture resolution: 250 ppi (pixels per inch)

Singular Points





delta

loop

Core Up-most singular point

or (in case of no singular point)

Point of maximum ridge curvature.



Level-1 Features Observe singular points and core.

Usage of Singular Points and Core





delta

loop

Features



siometric: 2011

Alignment of two samples. Fingerprint classification.



Fingerprint Classification







plain arch 4%

tented arch 3%

left loop

Percentages: frequencies of observation.





Jain, Ross, and Nadakumar Introduction to Biometrics Springer Books, 2011



right loop 65%

whorl 24%

twin loop 4%





How useful are level-1 features?

FBI Automated Fingerprint Identification system (AFIS) More than 200 million dactyloscopy cards. Varied quality of samples.

Estimated: one untrained person would spend 67 years to search 1.7 million cards.





How useful are level-1 features?

FBI Automated Fingerprint Identification system (AFIS) More than 200 million dactyloscopy cards. Varied quality of samples.

Thanks to fingerprint classification through level-1 features, this time is reduced to 20 min.

left loop plain arch right loop whorl (27.9%)(31.7%)(2.7%)(33.8%)tented arch double loop central pocket accidental (2.9%)

Henry's features, an alternative classification of level-1 features with 8 classes.



How useful are level-1 features?

FBI Automated Fingerprint Identification system (AFIS) More than 200 million dactyloscopy cards. Varied quality of samples.

And a computer-based solution can do it in seconds, benefitting from the same features.

Henry's features, an alternative classification of level-1 features with 8 classes.





What do we observe in fingerprints?

Beyond Ridges and Valleys Three types of features, from coarse to fine levels:

- Level-1 Features
- Level-2 Features
- Level-3 Features





Level-2 Features Observe minutiae (Galton's details). Useful capture resolution: 500 ppi

Ridge Ending



Jain, Ross, and Nadakumar Introduction to Biometrics Springer Books, 2011

Ridge Bifurcation



Level-2 Features Alternative minutiae.



Source: www.optel.com.pl



Usage of minutiae Fingerprint matching.

More details on how to do it in the upcoming classes.

Features





Level-2 Features

Galton's Estimate

Given 2 similar fingerprints, what is the chance they come from different people? I'll tell you: 1 in 64 billion.



Jain, Ross, and Nadakumar Introduction to Biometrics Springer Books, 2011





Level-2 Features

Galton's Estimate

Rationale

What would be the smallest portion of a fingerprint leading to a 1/2 chance of being correctly guessed as belonging to a particular individual?



Source: Dr. Walter Scheirer



Level-2 Features

Galton's Estimate

After a few trials, let me say: A square containing 5-6 ridges.

Rationale

What would be the smallest portion of a fingerprint leading to a 1/2 chance of being correctly guessed as belonging to a particular individual?





Galton's Estimate

A typical fingerprint consists of 24 six-ridge squares.

Hence, chance of correct full fingerprint guess: $1/2^{24}$

Features



Source: Dr. Walter Scheirer



Galton's Estimate

For each square: Chance of correct guess of #ridges entering and leaving it: $1/2^8$

Chance of correct guess of the course of ridges within it: $1/2^4$

Features



Source: Dr. Walter Scheirer



Galton's Estimate

Total chance of a random fingerprint match a particular one: $1/2^{24} \times 1/2^8 \times 1/2^4 = 1/2^{36}$

Features

1 in 64 billion





Galton's Estimate

Total chance of a random fingerprint match a particular one: $1/2^{24} \times 1/2^8 \times 1/2^4 = 1/2^{36}$

Features



https://www.bbc.com/ news/magazine-16870579



What do we observe in fingerprints?

Beyond Ridges and Valleys Three types of features, from coarse to fine levels:

- Level-1 Features
- Level-2 Features
- Level-3 Features





Level-3 Features

Observe sweat pores, ridge shape, and lifetime acquired marks. Useful capture resolution: 1000 ppi



Jain, Chen, and Demirkus Pores and Ridges: High-Resolution Fingerprint Matching Using Level 3 Features IEEE T-PAMI, 2007



Level-3 Features Observe sweat pores, ridge shape, and lifetime acquired marks.

Usage of Level-3 Features Fingerprint liveness detection. Rule-out questioned fingerprint matches.



https://www.bbc.com/news/world-latinamerica-21756709



More about fingerprints Fingerprint acquisition methods. Fingerprint enhancement methods. Fingerprint data representation.

S'up Next?



