



## International Congress on Peer Review and Scientific Publication

Enhancing the quality and credibility of science



# Abstract

## Characterizing Problematic Images in Retracted Scientific Articles

João Phillipe Cardenuto,<sup>1</sup> Daniel Moreira,<sup>2</sup> Anderson Rocha<sup>1</sup>

### OBJECTIVE

To quantitatively analyze the types, contexts, and manipulation methods of problematic images that lead to retractions of scientific articles.

### DESIGN

This cross-sectional study analyzed retracted articles flagged for problematic image manipulation (eg, image duplication) in the Retraction Watch Database<sup>1</sup> (56,716 entries as of October 4, 2024). We focused on entries containing the term *image* in the retraction reason (8002 entries) and further refined the dataset to those discussed on PubPeer<sup>2</sup> (2078 after duplicate removal) to gain more detailed insights into the image problems. Data extracted included figure types (eg, microscopy, gel blot), the context of image misuse (eg, within-article, between-article), and the type of manipulation (eg, duplication, splicing).

## RESULTS

The Table presents our results (**Table 25-0965**). Gel blots (eg, Western blots) were the most frequently cited image type in problematic retractions, appearing in 1074 articles (51.68%). Between-article image reuse, where an image and its associated data are duplicated across different publications, was the most common context of misuse, identified in 1241 cases (59.72%). Notably, 982 retractions (47.28%) were attributed to paper mills. Image duplication was the predominant cause of retraction, accounting for 1827 cases (87.92%). Only 1 retraction was attributed to computer- or artificial intelligence-generated manipulation. While our analysis did not filter by the biomedical area, most problematic images originated from the biomedical domain.

**Table 25-0965. Characterizing Problematic Images in Retracted Articles**

Characteristic	Retracted articles, No. (%) (N = 2078) <sup>a</sup>
<b>Most prevalent types of images</b>	
Gel blots	1074 (51.68)
Transwell assay <sup>b</sup>	569 (27.38)
Microscopy imagery	509 (24.50)
Fluorescence-activated cell sorting	355 (17.08)
Fluorescent microscopy	248 (11.94)
Graphs <sup>c</sup>	186 (8.95)
Wound healing assay <sup>d</sup>	181 (8.71)
Colony formation assay <sup>e</sup>	176 (8.47)
Exposed organ (tumor) <sup>f</sup>	171 (8.23)
Electron microscopy	81 (3.90)
Other	131 (6.30)
<b>Problem context</b>	
Between articles	1241 (59.72)
Paper mill	982 (47.26)
Within figures	810 (38.98)
Within images	402 (19.35)
Between figures	344 (16.55)
<b>Problem type</b>	
Reuse	1827 (87.92)
Splicing	162 (7.80)
Image edit, removal, or obscuring	79 (3.80)
Computer- or artificial intelligence-generated	1 (0.05)
Other	346 (16.65)

<sup>a</sup>A single retracted article may contain multiple types of problematic images or contexts, so the percentages do not sum to 100.

<sup>b</sup>Cell migration and invasion studies.

<sup>c</sup>Linear plots, bar plots, or scatter plots that are manipulated or duplicated.

<sup>d</sup>Studies depicting 2-dimensional cell migration throughout an artificial gap.

<sup>e</sup>In vitro cell colony growth studies.

<sup>f</sup>Exposed organs, such as mouse brain or lung slices, predominantly from mice.

## CONCLUSIONS

This study highlights the prevalence of gel blot images and between-article image duplication in retracted articles, indicating a potential benefit from specialized tools to detect such issues. During our analysis, we noticed a frequent lack of detailed and standardized information in retraction notices, which hinders efforts to understand and prevent the presented problems. While PubPeer data offer valuable insights when the retraction notices fail to do so, PubPeer posts are not official documents and may exhibit biases from their authors, which could result in speculative claims about an article. Because of that, to facilitate research and improve the integrity of the scientific record, future research should focus on discussing and developing better guidelines for comprehensive retraction notices that may even support computer-aided solutions.

## REFERENCES

1. The Retraction Watch Database. Accessed January 31, 2025. <http://retractiondatabase.org/>
2. PubPeer. Accessed January 31, 2025. <https://pubpeer.com>

<sup>1</sup>Artificial Intelligence Lab, Recod.ai, Institute of Computing, Universidade Estadual de Campinas, Campinas, São Paulo, Brazil, phillipe.cardenuto@ic.unicamp.br;

<sup>2</sup>Department of Computer Science, Loyola University Chicago, Chicago, IL, US.

## CONFLICT OF INTEREST DISCLOSURES

None reported.

## FUNDING/SUPPORT

This study was supported by the National Council for Scientific and Technological Development–CNPq (grant No. 442229/2024-0) and by the São Paulo Research Foundation–FAPESP (grant No. 2023/12865-8).

## ROLE OF THE FUNDER/SPONSOR

The funder had no role in the design and conduct of the study; collection, management, analysis, and interpretation of the data; or preparation, review, or approval of the abstract.



JAMA Network



**Sign Up For Peer Review Congress Updates**

[Terms of Use](#) | [Privacy Policy](#) | [Accessibility Statement](#) | [Cookie Settings](#)

© 2025 American Medical Association.

All rights reserved, including those for text and data mining, AI training, and similar technologies.